2017-12-14, Martin (Slovakia)

3rd Final Conference of FUTURA project





Agenda:

- 11:00 11:15 Welcome speech of the project manager
- 11:15 11:30 Presentation of project partners
- 11:30 12:00 Presentation of the FUTURA project and results
- 12:30 13:15 Discussion
- 13:15 13:30 Snacks and coffee





FUTURA

"FUTUre RAil freight transport:


Cost-effective, safe, quiet and green





FUTURA

project will focus on the final steps of development of new generation of axle mounted **D**ivided **R**ail **F**reight **B**rake **(DRFB)** disc.









FUTURA

- The FUTURA project is an answer to all challenges in Horizon 2020 call Fast Track to Innovation Pilot (FTIPilot-1-2015).
- This call targets relatively mature new technologies, concepts, processes and business models that need a last development step to reach the market and achieve wider deployment.



MAIN OBJECTIVE

The main objective of the FUTURA project is to improve the quality and safety of life of over 55 million EU citizens who live or work near train tracks.

- With its innovative solution, FUTURA project will influence the following 3 key elements:
 - Safety and Security
 - Health and Environment
 - Cost-effectiveness in rail freight transport (RFT)






SPECIFIC OBJECTIVES

- Enable higher speeds in RFT (160 km/h)
- 11% shorter braking distance and higher safety
- 11% greater efficiency through 15% better heat dissipation and 14% less vibrations

V m^-2 K^-1]

- © 21% lower mass
- 10 dB lower noise
- © 60% lower maintenance costs
- 13% lower LCC







EXPECTED IMPACTS OF FUTURA PROJECT

- A significantly higher safety and security in RFT
- Improving cost-effectiveness of rail transport
- Reduced level of noise
- Positive environmental impact
- Increase of private sector's investments and innovation activities





EXPECTED BENEFITS

- Key target markets:
 EU,USA,Canada,Russia,China,India and Brazil
- Capture 7% of the market share in the production of brake discs for RFT



CONSORTIUM


4 partners from 3 different countries:








- Two final prototypes of DRFB disc:
 - 170mm of width
 - 110mm of width













Suitable for higher speeds in RFT (160 km/h)







- ©22,7% lower mass for 590x170mm disc
- 34,5% lower mass for 590x110mm disc









11% shorter braking distance and higher safety due to special patented brake platehub connection

15% less vibrations due to special patented

brake plate-hub connection










11% greater efficiency through 15% better

heat dissipation













11MJ Emergency brake temperatures







Ventilation losses (Air resistance)








- © 10 dB lower braking noise in real environment test in comparison to K-block
- © 6 dB lower noise level of unbraked disc 590x170 (4 dB for 590x110)







© 60% lower maintenance costs due to divided version and simple mounting procedure







©20% lower LCC of DRFB disc





Succesfully passed tests:

Test program B.1 (Freight wagons, Energy class A1, UIC 541-3, 8th Edition)






Tests according TSI for freight wagons (COMMISSION REGULATION (EU) No 321/2013)





© 1,800 000 – 2,600 000 km – Average predicted lifetime of DRFB disc







FUTURA ON WEB

http://www.projectfutura.com

FUTURA ON FACEBOOK

https://www.facebook.com/projectfutura







THANK YOU!



